



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
Tel 0765.519130 - Fax 0765.209291  
www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations for mixers DN 8 (ø 8x12 mm)**

**ART. MN12**



*Stainless steel flexible hose with short male and swivel female nut - washer included*



| code             | fittings  | length cm | €  | ⇒  |
|------------------|---|-----------|----|----|
| FLMC12X13/8FCM20 | EPDM rubber hose<br>MC 12X1 - F 3/8<br>stainless steel braiding AISI 304<br>7 wires<br>nichel plated brass end fittings | 20        |    | 25 |
| FLMC12X13/8FCM25 |   | 25        |    | 25 |
| FLMC12X13/8FCM30 |   | 30        |    | 25 |
| FLMC12X13/8FCM35 |   | 35        |    | 25 |
| FLMC12X13/8FCM40 |   | 40        |    | 25 |
| FLMC12X13/8FCM50 |   | 50        |    | 25 |
| FLMC12X13/8FCM60 | 60  |           | 25 |    |
| FLMC12X11/2FCM20 | EPDM rubber hose<br>MC 12X1 - F 1/2<br>stainless steel braiding AISI 304<br>7 wires<br>nichel plated brass end fittings | 20        |    | 25 |
| FLMC12X11/2FCM25 |   | 25        |    | 25 |
| FLMC12X11/2FCM30 |   | 30        |    | 25 |
| FLMC12X11/2FCM35 |   | 35        |    | 25 |
| FLMC12X11/2FCM40 |   | 40        |    | 25 |
| FLMC12X11/2FCM50 |   | 50        |    | 25 |
| FLMC12X11/2FCM60 | 60  |           | 25 |    |

**ART. MN12L**



*Stainless steel flexible hose with long male and swivel female nut - washer included.*



| code             | fittings  | length cm | €  | ⇒  |
|------------------|---|-----------|----|----|
| FLML12X13/8FCM20 | EPDM rubber hose<br>ML 12X1 - F 3/8<br>stainless steel braiding AISI 304<br>7 wires<br>nichel plated brass end fittings | 20        |    | 25 |
| FLML12X13/8FCM25 |   | 25        |    | 25 |
| FLML12X13/8FCM30 |   | 30        |    | 25 |
| FLML12X13/8FCM35 |   | 35        |    | 25 |
| FLML12X13/8FCM40 |   | 40        |    | 25 |
| FLML12X13/8FCM50 |   | 50        |    | 25 |
| FLML12X13/8FCM60 | 60  |           | 25 |    |
| FLML12X11/2FCM20 | EPDM rubber hose<br>ML 12X1 - F 1/2<br>stainless steel braiding AISI 304<br>7 wires<br>nichel plated brass end fittings | 20        |    | 25 |
| FLML12X11/2FCM25 |   | 25        |    | 25 |
| FLML12X11/2FCM30 |   | 30        |    | 25 |
| FLML12X11/2FCM35 |   | 35        |    | 25 |
| FLML12X11/2FCM40 |   | 40        |    | 25 |
| FLML12X11/2FCM50 |   | 50        |    | 25 |
| FLML12X11/2FCM60 | 60  |           | 25 |    |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
 Tel 0765.519130 - Fax 0765.209291  
 www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations for mixers DN 8 (ø 8x12 mm)**

**ART. MN10**



*Stainless steel flexible hose with short male and swivel female nut - washer included*



| code             | fittings  | length cm | €  | ⇒  |
|------------------|---|-----------|----|----|
| FLMC10X13/8FCM20 | EPDM rubber hose<br>MC 10X1 - F 3/8<br>stainless steel braiding AISI 304<br>7 wires<br>nichel plated brass end fittings | 20        |    | 25 |
| FLMC10X13/8FCM25 |   | 25        |    | 25 |
| FLMC10X13/8FCM30 |   | 30        |    | 25 |
| FLMC10X13/8FCM35 |   | 35        |    | 25 |
| FLMC10X13/8FCM40 |   | 40        |    | 25 |
| FLMC10X13/8FCM50 |   | 50        |    | 25 |
| FLMC10X13/8FCM60 | 60  |           | 25 |    |
| FLMC10X11/2FCM20 | EPDM rubber hose<br>MC 10X1 - F 1/2<br>stainless steel braiding AISI 304<br>7 wires<br>nichel plated brass end fittings | 20        |    | 25 |
| FLMC10X11/2FCM25 |   | 25        |    | 25 |
| FLMC10X11/2FCM30 |   | 30        |    | 25 |
| FLMC10X11/2FCM35 |   | 35        |    | 25 |
| FLMC10X11/2FCM40 |   | 40        |    | 25 |
| FLMC10X11/2FCM50 |   | 50        |    | 25 |
| FLMC10X11/2FCM60 | 60  |           | 25 |    |

**ART. MN10L**



*Stainless steel flexible hose with long male and swivel female nut - washer included*



| code             | fittings  | length cm | €  | ⇒  |
|------------------|---|-----------|----|----|
| FLML10X13/8FCM20 | EPDM rubber hose<br>ML 10X1 - F 3/8<br>stainless steel braiding AISI 304<br>7 wires<br>nichel plated brass end fittings | 20        |    | 25 |
| FLML10X13/8FCM25 |   | 25        |    | 25 |
| FLML10X13/8FCM30 |   | 30        |    | 25 |
| FLML10X13/8FCM35 |   | 35        |    | 25 |
| FLML10X13/8FCM40 |   | 40        |    | 25 |
| FLML10X13/8FCM50 |   | 50        |    | 25 |
| FLML10X13/8FCM60 | 60  |           | 25 |    |
| FLML10X11/2FCM20 | EPDM rubber hose<br>ML 10X1 - F 1/2<br>stainless steel braiding AISI 304<br>7 wires<br>nichel plated brass end fittings | 20        |    | 25 |
| FLML10X11/2FCM25 |   | 25        |    | 25 |
| FLML10X11/2FCM30 |   | 30        |    | 25 |
| FLML10X11/2FCM35 |   | 35        |    | 25 |
| FLML10X11/2FCM40 |   | 40        |    | 25 |
| FLML10X11/2FCM50 |   | 50        |    | 25 |
| FLML10X11/2FCM60 | 60  |           | 25 |    |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
Tel 0765.519130 - Fax 0765.209291  
www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations for mixers DN 10 (ø 9x14 mm)**



**ART. MN01**

*Stainless steel flexible hose with normal male and female with flat face seat*

| code               | fittings  | length cm | €  |    |
|--------------------|---|-----------|----|----|
| FLIN3/8MFCM15      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M 3/8 x F 3/8<br>nichel plated brass end fittings | 15        |    | 25 |
| FLIN3/8MFCM20      |   | 20        |    | 25 |
| FLIN3/8MFCM25      |   | 25        |    | 25 |
| FLIN3/8MFCM30      |   | 30        |    | 25 |
| FLIN3/8MFCM35      |   | 35        |    | 25 |
| FLIN3/8MFCM40      |   | 40        |    | 25 |
| FLIN3/8MFCM45      |   | 45        |    | 25 |
| FLIN3/8MFCM50      |   | 50        |    | 25 |
| FLIN3/8MFCM60      |   | 60        |    | 25 |
| FLIN3/8MFCM70      |   | 70        |    | 25 |
| FLIN3/8MFCM80      | 80  |           | 25 |    |
| FLIN3/8MFCM100     | 100   |           | 25 |    |
| FLIN3/8MX1/2FCM15  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M 3/8 x F 1/2<br>nichel plated brass end fittings | 15        |    | 25 |
| FLIN3/8MX1/2FCM20  |   | 20        |    | 25 |
| FLIN3/8MX1/2FCM25  |   | 25        |    | 25 |
| FLIN3/8MX1/2FCM30  |   | 30        |    | 25 |
| FLIN3/8MX1/2FCM35  |   | 35        |    | 25 |
| FLIN3/8MX1/2FCM40  |   | 40        |    | 25 |
| FLIN3/8MX1/2FCM45  |   | 45        |    | 25 |
| FLIN3/8MX1/2FCM50  |   | 50        |    | 25 |
| FLIN3/8MX1/2FCM60  |   | 60        |    | 25 |
| FLIN3/8MX1/2FCM70  |   | 70        |    | 25 |
| FLIN3/8MX1/2FCM80  | 80  |           | 25 |    |
| FLIN3/8MX1/2FCM100 | 100   |           | 25 |    |
| FLIN1/2MX3/8FCM15  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M 1/2 x F 3/8<br>nichel plated brass end fittings | 15        |    | 25 |
| FLIN1/2MX3/8FCM20  |   | 20        |    | 25 |
| FLIN1/2MX3/8FCM25  |   | 25        |    | 25 |
| FLIN1/2MX3/8FCM30  |   | 30        |    | 25 |
| FLIN1/2MX3/8FCM35  |   | 35        |    | 25 |
| FLIN1/2MX3/8FCM40  |   | 40        |    | 25 |
| FLIN1/2MX3/8FCM45  |   | 45        |    | 25 |
| FLIN1/2MX3/8FCM50  |   | 50        |    | 25 |
| FLIN1/2MX3/8FCM60  |   | 60        |    | 25 |
| FLIN1/2MX3/8FCM70  |   | 70        |    | 25 |
| FLIN1/2MX3/8FCM80  | 80  |           | 25 |    |
| FLIN1/2MX3/8FCM100 | 100   |           | 25 |    |
| FLIN1/2MFCM15      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M 1/2 x F 1/2<br>nichel plated brass end fittings | 15        |    | 25 |
| FLIN1/2MFCM20      |   | 20        |    | 25 |
| FLIN1/2MFCM25      |   | 25        |    | 25 |
| FLIN1/2MFCM30      |   | 30        |    | 25 |
| FLIN1/2MFCM35      |   | 35        |    | 25 |
| FLIN1/2MFCM40      |   | 40        |    | 25 |
| FLIN1/2MFCM45      |   | 45        |    | 25 |
| FLIN1/2MFCM50      |   | 50        |    | 25 |
| FLIN1/2MFCM60      |   | 60        |    | 25 |
| FLIN1/2MFCM70      |   | 70        |    | 25 |
| FLIN1/2MFCM80      | 80  |           | 25 |    |
| FLIN1/2MFCM100     | 100   |           | 25 |    |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
 Tel 0765.519130 - Fax 0765.209291  
 www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations DN 10 (ø 9x14 mm)**



**ART. MN02**



*Stainless steel flexible hose with normal male and swivel female nut-washer included*




| code                 | fittings  | length cm | €  | ⇒  |
|----------------------|---|-----------|----|----|
| FLINCG3/8MFCM15      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M 3/8 x F 3/8<br>nichel plated brass end fittings | 15        |    | 25 |
| FLINCG3/8MFCM20      |   | 20        |    | 25 |
| FLINCG3/8MFCM25      |   | 25        |    | 25 |
| FLINCG3/8MFCM30      |   | 30        |    | 25 |
| FLINCG3/8MFCM35      |   | 35        |    | 25 |
| FLINCG3/8MFCM40      |   | 40        |    | 25 |
| FLINCG3/8MFCM45      |   | 45        |    | 25 |
| FLINCG3/8MFCM50      |   | 50        |    | 25 |
| FLINCG3/8MFCM60      |   | 60        |    | 25 |
| FLINCG3/8MFCM70      |   | 70        |    | 25 |
| FLINCG3/8MFCM80      |   | 80        |    | 25 |
| FLINCG3/8MFCM100     | 100   |           | 25 |    |
| FLINCG3/8MX1/2FCM15  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M 3/8 x F 1/2<br>nichel plated brass end fittings | 15        |    | 25 |
| FLINCG3/8MX1/2FCM20  |   | 20        |    | 25 |
| FLINCG3/8MX1/2FCM25  |   | 25        |    | 25 |
| FLINCG3/8MX1/2FCM30  |   | 30        |    | 25 |
| FLINCG3/8MX1/2FCM35  |   | 35        |    | 25 |
| FLINCG3/8MX1/2FCM40  |   | 40        |    | 25 |
| FLINCG3/8MX1/2FCM45  |   | 45        |    | 25 |
| FLINCG3/8MX1/2FCM50  |   | 50        |    | 25 |
| FLINCG3/8MX1/2FCM60  |   | 60        |    | 25 |
| FLINCG3/8MX1/2FCM70  |   | 70        |    | 25 |
| FLINCG3/8MX1/2FCM80  |   | 80        |    | 25 |
| FLINCG3/8MX1/2FCM100 | 100   |           | 25 |    |
| FLINCG1/2MX3/8FCM15  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M 1/2 x F 3/8<br>nichel plated brass end fittings | 15        |    | 25 |
| FLINCG1/2MX3/8FCM20  |   | 20        |    | 25 |
| FLINCG1/2MX3/8FCM25  |   | 25        |    | 25 |
| FLINCG1/2MX3/8FCM30  |   | 30        |    | 25 |
| FLINCG1/2MX3/8FCM35  |   | 35        |    | 25 |
| FLINCG1/2MX3/8FCM40  |   | 40        |    | 25 |
| FLINCG1/2MX3/8FCM45  |   | 45        |    | 25 |
| FLINCG1/2MX3/8FCM50  |   | 50        |    | 25 |
| FLINCG1/2MX3/8FCM60  |   | 60        |    | 25 |
| FLINCG1/2MX3/8FCM70  |   | 70        |    | 25 |
| FLINCG1/2MX3/8FCM80  |   | 80        |    | 25 |
| FLINCG1/2MX3/8FCM100 | 100   |           | 25 |    |
| FLINCG1/2MFCM15      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M 1/2 x F 1/2<br>nichel plated brass end fittings | 15        |    | 25 |
| FLINCG1/2MFCM20      |   | 20        |    | 25 |
| FLINCG1/2MFCM25      |   | 25        |    | 25 |
| FLINCG1/2MFCM30      |   | 30        |    | 25 |
| FLINCG1/2MFCM35      |   | 35        |    | 25 |
| FLINCG1/2MFCM40      |   | 40        |    | 25 |
| FLINCG1/2MFCM45      |   | 45        |    | 25 |
| FLINCG1/2MFCM50      |   | 50        |    | 25 |
| FLINCG1/2MFCM60      |   | 60        |    | 25 |
| FLINCG1/2MFCM70      |   | 70        |    | 25 |
| FLINCG1/2MFCM80      |   | 80        |    | 25 |
| FLINCG1/2MFCM100     | 100   |           | 25 |    |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
 Tel 0765.519130 - Fax 0765.209291  
 www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations DN 10 (ø 9x14 mm)**



**ART. MN03**

Stainless steel flexible hose, swivel female nut with flat seat on both sides



| code               | fittings  | length cm | €  |    |
|--------------------|---|-----------|----|----|
| FLIN3/8FFCM15      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>F 3/8 x F 3/8<br>nichel plated brass end fittings | 15        |    | 25 |
| FLIN3/8FFCM20      |   | 20        |    | 25 |
| FLIN3/8FFCM25      |   | 25        |    | 25 |
| FLIN3/8FFCM30      |   | 30        |    | 25 |
| FLIN3/8FFCM35      |   | 35        |    | 25 |
| FLIN3/8FFCM40      |   | 40        |    | 25 |
| FLIN3/8FFCM45      |   | 45        |    | 25 |
| FLIN3/8FFCM50      |   | 50        |    | 25 |
| FLIN3/8FFCM60      |   | 60        |    | 25 |
| FLIN3/8FFCM70      |   | 70        |    | 25 |
| FLIN3/8FFCM80      | 80  |           | 25 |    |
| FLIN3/8FFCM100     | 100   |           | 25 |    |
| FLIN1/2FX3/8FCM15  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>F 1/2 x F 3/8<br>nichel plated brass end fittings | 15        |    | 25 |
| FLIN1/2FX3/8FCM20  |   | 20        |    | 25 |
| FLIN1/2FX3/8FCM25  |   | 25        |    | 25 |
| FLIN1/2FX3/8FCM30  |   | 30        |    | 25 |
| FLIN1/2FX3/8FCM35  |   | 35        |    | 25 |
| FLIN1/2FX3/8FCM40  |   | 40        |    | 25 |
| FLIN1/2FX3/8FCM45  |   | 45        |    | 25 |
| FLIN1/2FX3/8FCM50  |   | 50        |    | 25 |
| FLIN1/2FX3/8FCM60  |   | 60        |    | 25 |
| FLIN1/2FX3/8FCM70  |   | 70        |    | 25 |
| FLIN1/2FX3/8FCM80  | 80  |           | 25 |    |
| FLIN1/2FX3/8FCM100 | 100   |           | 25 |    |
| FLIN1/2FFCM15      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>F 1/2 x F 1/2<br>nichel plated brass end fittings | 15        |    | 25 |
| FLIN1/2FFCM20      |   | 20        |    | 25 |
| FLIN1/2FFCM25      |   | 25        |    | 25 |
| FLIN1/2FFCM30      |   | 30        |    | 25 |
| FLIN1/2FFCM35      |   | 35        |    | 25 |
| FLIN1/2FFCM40      |   | 40        |    | 25 |
| FLIN1/2FFCM45      |   | 45        |    | 25 |
| FLIN1/2FFCM50      |   | 50        |    | 25 |
| FLIN1/2FFCM60      |   | 60        |    | 25 |
| FLIN1/2FFCM70      |   | 70        |    | 25 |
| FLIN1/2FFCM80      | 80  |           | 25 |    |
| FLIN1/2FFCM100     | 100   |           | 25 |    |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
 Tel 0765.519130 - Fax 0765.209291  
 www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations DN 10 (ø 9x14 mm)**



**ART. MN04**



Stainless steel flexible hose, swivel female nut with flat seat on both sides  
 washer included



| code                 | fittings  | length cm | €  | ⇒  |
|----------------------|---|-----------|----|----|
| FLINCG3/8FFCM15      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>F 3/8 x F 3/8<br>nichel plated brass end fittings | 15        |    | 25 |
| FLINCG3/8FFCM20      |   | 20        |    | 25 |
| FLINCG3/8FFCM25      |   | 25        |    | 25 |
| FLINCG3/8FFCM30      |   | 30        |    | 25 |
| FLINCG3/8FFCM35      |   | 35        |    | 25 |
| FLINCG3/8FFCM40      |   | 40        |    | 25 |
| FLINCG3/8FFCM45      |   | 45        |    | 25 |
| FLINCG3/8FFCM50      |   | 50        |    | 25 |
| FLINCG3/8FFCM60      |   | 60        |    | 25 |
| FLINCG3/8FFCM70      |   | 70        |    | 25 |
| FLINCG3/8FFCM80      | 80  |           | 25 |    |
| FLINCG3/8FFCM100     | 100   |           | 25 |    |
| FLINCG1/2FX3/8FCM15  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>F 1/2 x F 3/8<br>nichel plated brass end fittings | 15        |    | 25 |
| FLINCG1/2FX3/8FCM20  |   | 20        |    | 25 |
| FLINCG1/2FX3/8FCM25  |   | 25        |    | 25 |
| FLINCG1/2FX3/8FCM30  |   | 30        |    | 25 |
| FLINCG1/2FX3/8FCM35  |   | 35        |    | 25 |
| FLINCG1/2FX3/8FCM40  |   | 40        |    | 25 |
| FLINCG1/2FX3/8FCM45  |   | 45        |    | 25 |
| FLINCG1/2FX3/8FCM50  |   | 50        |    | 25 |
| FLINCG1/2FX3/8FCM60  |   | 60        |    | 25 |
| FLINCG1/2FX3/8FCM70  |   | 70        |    | 25 |
| FLINCG1/2FX3/8FCM80  | 80  |           | 25 |    |
| FLINCG1/2FX3/8FCM100 | 100   |           | 25 |    |
| FLINCG1/2FFCM15      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>F 1/2 x F 1/2<br>nichel plated brass end fittings | 15        |    | 25 |
| FLINCG1/2FFCM20      |   | 20        |    | 25 |
| FLINCG1/2FFCM25      |   | 25        |    | 25 |
| FLINCG1/2FFCM30      |   | 30        |    | 25 |
| FLINCG1/2FFCM35      |   | 35        |    | 25 |
| FLINCG1/2FFCM40      |   | 40        |    | 25 |
| FLINCG1/2FFCM45      |   | 45        |    | 25 |
| FLINCG1/2FFCM50      |   | 50        |    | 25 |
| FLINCG1/2FFCM60      |   | 60        |    | 25 |
| FLINCG1/2FFCM70      |   | 70        |    | 25 |
| FLINCG1/2FFCM80      | 80  |           | 25 |    |
| FLINCG1/2FFCM100     | 100   |           | 25 |    |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
 Tel 0765.519130 - Fax 0765.209291  
 www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations DN 10 (ø 9x14 mm)**

**ART. MN05**



*Stainless steel flexible hose with long male and swivel female nut with flat seat*



| code                 | fittings  | length cm   | €  |    |
|----------------------|---|---|----|----|
| FLINML3/8MFCM20      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. PROL. 3/8 – F. 3/8<br>nichel plated brass end fittings | 20  |    | 25 |
| FLINML3/8MFCM25      |   | 25  |    | 25 |
| FLINML3/8MFCM30      |   | 30  |    | 25 |
| FLINML3/8MFCM35      |   | 35  |    | 25 |
| FLINML3/8MFCM40      |   | 40  |    | 25 |
| FLINML3/8MFCM50      |   | 50  |    | 25 |
| FLINML3/8MFCM60      |   | 60  |    | 25 |
| FLINML3/8MFCM80      |   | 80  |    | 25 |
| FLINML3/8MFCM100     |   | 100   |    | 25 |
| FLINML3/8MX1/2FCM20  |   | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. PROL. 3/8 – F. 1/2<br>nichel plated brass end fittings | 20 |    |
| FLINML3/8MX1/2FCM25  | 25  |   |    | 25 |
| FLINML3/8MX1/2FCM30  | 30  |   |    | 25 |
| FLINML3/8MX1/2FCM35  | 35  |   |    | 25 |
| FLINML3/8MX1/2FCM40  | 40  |   |    | 25 |
| FLINML3/8MX1/2FCM50  | 50  |   |    | 25 |
| FLINML3/8MX1/2FCM60  | 60  |   |    | 25 |
| FLINML3/8MX1/2FCM80  | 80  |   |    | 25 |
| FLINML3/8MX1/2FCM100 | 100   |   |    | 25 |
| FLINML1/2MX3/8FCM20  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. PROL. 1/2 – F. 3/8<br>nichel plated brass end fittings |   | 20 |    |
| FLINML1/2MX3/8FCM25  |   | 25  |    | 25 |
| FLINML1/2MX3/8FCM30  |   | 30  |    | 25 |
| FLINML1/2MX3/8FCM35  |   | 35  |    | 25 |
| FLINML1/2MX3/8FCM40  |   | 40  |    | 25 |
| FLINML1/2MX3/8FCM50  |   | 50  |    | 25 |
| FLINML1/2MX3/8FCM60  |   | 60  |    | 25 |
| FLINML1/2MX3/8FCM80  |   | 80  |    | 25 |
| FLINML1/2MX3/8FCM100 |   | 100   |    | 25 |
| FLINML1/2MFCM20      |   | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. PROL. 1/2 – F. 1/2<br>nichel plated brass end fittings | 20 |    |
| FLINML1/2MFCM25      | 25  |   |    | 25 |
| FLINML1/2MFCM30      | 30  |   |    | 25 |
| FLINML1/2MFCM35      | 35  |   |    | 25 |
| FLINML1/2MFCM40      | 40  |   |    | 25 |
| FLINML1/2MFCM50      | 50  |   |    | 25 |
| FLINML1/2MFCM60      | 60  |   |    | 25 |
| FLINML1/2MFCM80      | 80  |   |    | 25 |
| FLINML1/2MFCM100     | 100   |   |    | 25 |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
Tel 0765.519130 - Fax 0765.209291  
www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations DN 10 (ø 9x14 mm)**



**ART. MN06**



*Stainless steel flexible hose with long male and swivel female nut with flat seat washer included*



| code                 | fittings  | length cm   | €  |    |
|----------------------|---|---|----|----|
| FLINML3/8MFCM20      | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. PROL. 3/8 – F. 3/8<br>nichel plated brass end fittings | 20  |    | 25 |
| FLINML3/8MFCM25      |   | 25  |    | 25 |
| FLINML3/8MFCM30      |   | 30  |    | 25 |
| FLINML3/8MFCM35      |   | 35  |    | 25 |
| FLINML3/8MFCM40      |   | 40  |    | 25 |
| FLINML3/8MFCM50      |   | 50  |    | 25 |
| FLINML3/8MFCM60      |   | 60  |    | 25 |
| FLINML3/8MFCM80      |   | 80  |    | 25 |
| FLINML3/8MFCM100     |   | 100   |    | 25 |
| FLINML3/8MX1/2FCM20  |   | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. PROL. 3/8 – F. 1/2<br>nichel plated brass end fittings | 20 |    |
| FLINML3/8MX1/2FCM25  | 25  |   |    | 25 |
| FLINML3/8MX1/2FCM30  | 30  |   |    | 25 |
| FLINML3/8MX1/2FCM35  | 35  |   |    | 25 |
| FLINML3/8MX1/2FCM40  | 40  |   |    | 25 |
| FLINML3/8MX1/2FCM50  | 50  |   |    | 25 |
| FLINML3/8MX1/2FCM60  | 60  |   |    | 25 |
| FLINML3/8MX1/2FCM80  | 80  |   |    | 25 |
| FLINML3/8MX1/2FCM100 | 100   |   |    | 25 |
| FLINML1/2MX3/8FCM20  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. PROL. 1/2 – F. 3/8<br>nichel plated brass end fittings |   | 20 |    |
| FLINML1/2MX3/8FCM25  |   | 25  |    | 25 |
| FLINML1/2MX3/8FCM30  |   | 30  |    | 25 |
| FLINML1/2MX3/8FCM35  |   | 35  |    | 25 |
| FLINML1/2MX3/8FCM40  |   | 40  |    | 25 |
| FLINML1/2MX3/8FCM50  |   | 50  |    | 25 |
| FLINML1/2MX3/8FCM60  |   | 60  |    | 25 |
| FLINML1/2MX3/8FCM80  |   | 80  |    | 25 |
| FLINML1/2MX3/8FCM100 |   | 100   |    | 25 |
| FLINML1/2MFCM20      |   | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. PROL. 1/2 – F. 1/2<br>nichel plated brass end fittings | 20 |    |
| FLINML1/2MFCM25      | 25  |   |    | 25 |
| FLINML1/2MFCM30      | 30  |   |    | 25 |
| FLINML1/2MFCM35      | 35  |   |    | 25 |
| FLINML1/2MFCM40      | 40  |   |    | 25 |
| FLINML1/2MFCM50      | 50  |   |    | 25 |
| FLINML1/2MFCM60      | 60  |   |    | 25 |
| FLINML1/2MFCM80      | 80  |   |    | 25 |
| FLINML1/2MFCM100     | 100   |   |    | 25 |





**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
Tel 0765.519130 - Fax 0765.209291  
www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations for mixers DN 10 (ø 9x14 mm)**

**ART. MN07**



Stainless steel flexible hose with male and compression fitting with 3 pcs cartridge



| code                   | fittings   | length cm  | €  |    |
|------------------------|--|--|----|----|
| FLIN3/8MX3/8BIC10CM20  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. 3/8 X BIC. ø 10<br>nichel plated brass end fittings | 20   |    | 25 |
| FLIN3/8MX3/8BIC10CM25  |  | 25   |    | 25 |
| FLIN3/8MX3/8BIC10CM30  |  | 30   |    | 25 |
| FLIN3/8MX3/8BIC10CM35  |  | 35   |    | 25 |
| FLIN3/8MX3/8BIC10CM40  |  | 40   |    | 25 |
| FLIN3/8MX3/8BIC10CM50  |  | 50   |    | 25 |
| FLIN3/8MX3/8BIC10CM60  |  | 60   |    | 25 |
| FLIN3/8MX3/8BIC10CM80  |  | 80   |    | 25 |
| FLIN3/8MX3/8BIC10CM100 |  | 100  |    | 25 |
| FLIN1/2MX3/8BIC10CM20  |  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. 1/2 X BIC. ø 10<br>nichel plated brass end fittings | 20 |    |
| FLIN1/2MX3/8BIC10CM25  | 25   |  |    | 25 |
| FLIN1/2MX3/8BIC10CM30  | 30   |  |    | 25 |
| FLIN1/2MX3/8BIC10CM35  | 35   |  |    | 25 |
| FLIN1/2MX3/8BIC10CM40  | 40   |  |    | 25 |
| FLIN1/2MX3/8BIC10CM50  | 50   |  |    | 25 |
| FLIN1/2MX3/8BIC10CM60  | 60   |  |    | 25 |
| FLIN1/2MX3/8BIC10CM80  | 80   |  |    | 25 |
| FLIN1/2MX3/8BIC10CM100 | 100  |  |    | 25 |

**ART. MN08**



Stainless steel flexible hose with female and compression fitting  
3 pcs cartridge included



| code                   | fittings   | length cm  | €  |    |
|------------------------|--|--|----|----|
| FLIN3/8FX3/8BIC10CM20  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. 3/8 X BIC. ø 10<br>nichel plated brass end fittings | 20   |    | 25 |
| FLIN3/8FX3/8BIC10CM25  |  | 25   |    | 25 |
| FLIN3/8FX3/8BIC10CM30  |  | 30   |    | 25 |
| FLIN3/8FX3/8BIC10CM35  |  | 35   |    | 25 |
| FLIN3/8FX3/8BIC10CM40  |  | 40   |    | 25 |
| FLIN3/8FX3/8BIC10CM50  |  | 50   |    | 25 |
| FLIN3/8FX3/8BIC10CM60  |  | 60   |    | 25 |
| FLIN3/8FX3/8BIC10CM80  |  | 80   |    | 25 |
| FLIN3/8FX3/8BIC10CM100 |  | 100  |    | 25 |
| FLIN1/2FX3/8BIC10CM20  |  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>M. 1/2 X BIC. ø 10<br>nichel plated brass end fittings | 20 |    |
| FLIN1/2FX3/8BIC10CM25  | 25   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM30  | 30   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM35  | 35   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM40  | 40   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM50  | 50   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM60  | 60   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM80  | 80   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM100 | 100  |  |    | 25 |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
 Tel 0765.519130 - Fax 0765.209291  
 www.mauronebbia.com - info@mauronebbia.com

**Flexible hoses ideal for sanitary installations DN 10 (ø 9x14 mm)**



**ART. MN09**



*Stainless steel flexible hose with female and compression fitting  
 3 pcs cartridge and washers included*




| code                   | fittings   | length cm  | €  | ⇒  |
|------------------------|--|--|----|----|
| FLIN3/8FX3/8BIC10CM20  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>F. 3/8 X BIC. ø 10<br>nichel plated brass end fittings | 20   |    | 25 |
| FLIN3/8FX3/8BIC10CM25  |  | 25   |    | 25 |
| FLIN3/8FX3/8BIC10CM30  |  | 30   |    | 25 |
| FLIN3/8FX3/8BIC10CM35  |  | 35   |    | 25 |
| FLIN3/8FX3/8BIC10CM40  |  | 40   |    | 25 |
| FLIN3/8FX3/8BIC10CM50  |  | 50   |    | 25 |
| FLIN3/8FX3/8BIC10CM60  |  | 60   |    | 25 |
| FLIN3/8FX3/8BIC10CM80  |  | 80   |    | 25 |
| FLIN3/8FX3/8BIC10CM100 |  | 100  |    | 25 |
| FLIN1/2FX3/8BIC10CM20  |  | EPDM rubber hose<br>stainless steel braiding AISI 304<br>8 wires<br>F. 1/2 X BIC. ø 10<br>nichel plated brass end fittings | 20 |    |
| FLIN1/2FX3/8BIC10CM25  | 25   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM30  | 30   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM35  | 35   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM40  | 40   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM50  | 50   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM60  | 60   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM80  | 80   |  |    | 25 |
| FLIN1/2FX3/8BIC10CM100 | 100  |  |    | 25 |



### M.N. FABBRICA TUBI FLESSIBILI

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
Tel 0765.519130 - Fax 0765.209291  
www.mauronebbia.com - info@mauronebbia.com

#### ART. MN13



Flexible hoses ideal for industrial and sanitary applications.



| code            | fittings  | length cm   | €  |   |
|-----------------|---|---|----|---|
| FLAN1/2MFCM25   | EPDM rubber hose<br>zinc plated steel braiding<br>M. 1/2" X F. 1/2"<br>nichel plated brass end fittings     | 25  |    | - |
| FLAN1/2MFCM30   |   | 30  |    | - |
| FLAN1/2MFCM35   |   | 35  |    | - |
| FLAN1/2MFCM40   |   | 40  |    | - |
| FLAN1/2MFCM45   |   | 45  |    | - |
| FLAN1/2MFCM50   |   | 56  |    | - |
| FLAN1/2MFCM60   |   | 60  |    | - |
| FLAN1/2MFCM70   |   | 70  |    | - |
| FLAN1/2MFCM80   |   | 80  |    | - |
| FLAN1/2MFCM90   |   | 90  |    | - |
| FLAN1/2MFCM100  |   | 100   |    | - |
| FLAN3/4MFCM20   | EPDM rubber hose<br>zinc plated steel braiding<br>M. 3/4" X F. 3/4"<br>nichel plated brass end fittings     | 20  |    | - |
| FLAN3/4MFCM30   |   | 30  |    | - |
| FLAN3/4MFCM40   |   | 40  |    | - |
| FLAN3/4MFCM50   |   | 50  |    | - |
| FLAN3/4MFCM60   |   | 60  |    | - |
| FLAN3/4MFCM70   |   | 70  |    | - |
| FLAN3/4MFCM80   |   | 80  |    | - |
| FLAN3/4MFCM90   |   | 90  |    | - |
| FLAN3/4MFCM100  |   | 100   |    | - |
| FLAN1MFCM20     |   | EPDM rubber hose<br>zinc plated steel braiding<br>M. 1" X F. 1"<br>nichel plated brass end fittings | 20 |   |
| FLAN1MFCM30     | 30  |   |    | - |
| FLAN1MFCM40     | 40  |   |    | - |
| FLAN1MFCM50     | 50  |   |    | - |
| FLAN1MFCM60     | 60  |   |    | - |
| FLAN1MFCM70     | 70  |   |    | - |
| FLAN1MFCM80     | 80  |   |    | - |
| FLAN1MFCM90     | 90  |   |    | - |
| FLAN1MFCM100    | 100   |   |    | - |
| FLAN11/4MFCM30  | EPDM rubber hose<br>zinc plated steel braiding<br>M. 1" 1/4 X F. 1" 1/4<br>nichel plated brass end fittings |   | 30 |   |
| FLAN11/4MFCM40  |   | 40  |    | - |
| FLAN11/4MFCM50  |   | 50  |    | - |
| FLAN11/4MFCM60  |   | 60  |    | - |
| FLAN11/4MFCM70  |   | 70  |    | - |
| FLAN11/4MFCM80  |   | 80  |    | - |
| FLAN11/4MFCM90  |   | 90  |    | - |
| FLAN11/4MFCM100 |   | 100   |    | - |
| FLAN11/2MFCM40  | EPDM rubber hose<br>zinc plated steel braiding<br>M. 1" 1/2 X F. 1" 1/2<br>nichel plated brass end fittings | 40  |    | - |
| FLAN11/2MFCM50  |   | 50  |    | - |
| FLAN11/2MFCM60  |   | 60  |    | - |
| FLAN11/2MFCM70  |   | 70  |    | - |
| FLAN11/2MFCM80  |   | 80  |    | - |
| FLAN11/2MFCM90  |   | 90  |    | - |
| FLAN11/2MFCM100 |   | 100   |    | - |
| FLAN2MFCM40     | EPDM rubber hose<br>zinc plated steel braiding<br>M. 2" X F. 2"<br>nichel plated brass end fittings         | 40  |    | - |
| FLAN2MFCM50     |   | 50  |    | - |
| FLAN2MFCM60     |   | 60  |    | - |
| FLAN2MFCM80     |   | 80  |    | - |



**M.N. FABBRICA TUBI FLESSIBILI**  
 Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
 Tel 0765.519130 - Fax 0765.209291  
 www.mauronebbia.com - info@mauronebbia.com

**Flexible Hoses ideal for connecting load washing machines and dishwashers**




*Washer fill hose with bent end 3/4 f.f.*

| code     | fittings   | length cm | € | ⇒ |
|----------|--|-----------|---|---|
| MNCLC150 | EPDM Rubber hose<br>ABS fittings 3/4<br>Aluminium bushings | 150       |   | 1 |
| MNCLC200 |  | 200       |   | 1 |
| MNCLC250 |  | 250       |   | 1 |
| MNCLC300 |  | 300       |   | 1 |




*Washer fill hose with straight end 3/4 f.f.*

| code     | fittings   | length cm | € | ⇒ |
|----------|--|-----------|---|---|
| MNCLD150 | EPDM Rubber hose<br>ABS fittings 3/4<br>Aluminium bushings | 150       |   | 1 |
| MNCLD200 |  | 200       |   | 1 |
| MNCLD250 |  | 250       |   | 1 |
| MNCLD300 |  | 300       |   | 1 |




Ball valve for gas distribution application

| code | fittings  | lenght cm | € |  |
|------|---|-----------|---|---|
| MNG  | Pipe connections 1/2 M X 1/2 M<br>nichel-plated brass body<br>Aluminium T-handle<br>Operating Temp range : -20° C + 60° C | -         |   | 12  |




Analog chronostat

| code   | fittings  | lenght cm | € |  |
|--------|---|-----------|---|---|
| MNTEMP | Batteries supply<br>daily temperature setting over 2 different levels<br>Analog clock programming<br>Operations:<br>Manual/Automatic/Off-Antifreezing | -         |   | 1   |





Under sink ball valve with filter and flange

| code  | fittings  | lenght cm | € |  |
|-------|---|-----------|---|---|
| MNRFS | size: 1/2x10<br>made in Italy marked<br>metal handle<br>ball closure system<br>flange included-colour: chrome | -         |   | 60  |




Round hole flange for flexible hose

| code | fittings                             | lenght cm | € |  |
|------|--------------------------------------|-----------|---|---|
| MNRS | Flange 1/2"<br>Stainless Steel/Brass | -         |   | 100   |



Hexagonal hole flange for flexible hose

| code | fittings                             | lenght cm | € |  |
|------|--------------------------------------|-----------|---|---|
| MNRE | Flange 1/2"<br>Stainless Steel/Brass | -         |   | 100   |



**M.N. FABBRICA TUBI FLESSIBILI**

Via Tommaso Sillani, 17 - 05030 Otricoli (TR)  
Tel 0765.519130 - Fax 0765.209291  
www.mauronebbia.com - info@mauronebbia.com

**SALE CONDITIONS**

**Orders acceptance**

The order is always subject to approval by the seller.

**Delivers**

The goods are delivered Ex Works and travel at the buyer's own risk. The seller reserves the right to execute partial consignments.

**Forwarding**

The quantities must be checked on receipt of the goods and any complaint must be made to the carrier. Any additional cost applied by the carrier will be charged to the buyer.

**Packing**

The goods are packed in standard packing on pallets charged to the customer.

**Delivery terms**

The delivery terms are always given as information and they never have to be considered as binding.

**Prices**

The prices shown on price list are not bending.

Mauro Nebbia flexible hoses factory reserves the right to modify the sales prices in any time with no prior warning.

**Payments**

Interest at the current rate will be charged for any delays in payment. Mauro Nebbia flexible hoses factory reserves the right to delete any order on hand if the payments are not correct. Any complaint of whatever type or value do not give the right to suspend payments.

**Complaints**

Complaints and returned goods cannot be accepted after a period of 7 days from the arrival of the goods. Complaints must be made by mean of a registered letter or by fax within the terms stated.

Any return of the goods must be authorized in advance by Mauro Nebbia flexible hoses factory with instructions about it.

**Technical specifications**

Mauro Nebbia flexible hoses factory reserves the right to carry out technical and aesthetical changes without previous notice.

**Lien**

The products remain the property of Mauro Nebbia flexible hoses factory until the cost has been paid in full, in accordance with the provisions of the C. C.

**Liability**

Mauro Nebbia flexible hoses factory does not provide a guarantee covering the incorrect or the inappropriate use of its products. If the material should be substandard owing to manufacturing faults which are technical inspections, Mauro Nebbia flexible hoses factory reserves the right to replace the material or to credit the value to the buyer. However under no circumstance does the company's liability extend to the payment of direct or indirect charges for other things.

**Competent Court of Law**

For any controversy that may arise the competent court of law is the one of Terni.

Mauro Nebbia flexible hoses factory reserves the right to introduce technical and aesthetical changes on all the articles, without previous notice to the customer.